

Roof safety products

Product description

A roof has to be safe, since although you rarely need to be up there, it must be also possible to get there and work there without unnecessary risks. Furthermore, roofs require safety features by law. The roof safety products supplied by Ruukki comply with the new regulations and directives concerning roof safety products as laid down in the F2 Finnish Construction Regulation.

Products are available in colour coated on galvanised steel or just uncoated galvanised finishes. Ruukki's tile sheets and Classic models have their own special fasteners for roof bridges and snow stops. The differing shapes and styles of the roofing models have been taken into account in the fasteners.

Product applications

- detached houses
- terraced houses
- residential multi-storey buildings
- recreational dwelling

Ruukki is a metal expert you can rely on all the way, whenever you need metal based materials, components, systems or total solutions. We constantly develop our product range and operating models to match your needs.



● **Product**

Name	Bridge set Classic RSBSA
e-code	CLVKS
Length	2920 mm
Effective length	2800 mm
Unit	pcs
Weight/unit	18,0 kg/pcs

Contain	1 x roof bridge
	4 x lower fixing
	4 x upper fixing
	4 x counterpart
	18 x hex screw M8 x 20 mm
	16 x lock screw M8 x 40 mm
	34 x nut M8

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 23, 29, 32, 33 and 750

Galvanised

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2008 Rautaruukki Corporation. All rights reserved.

Ruukki is a trademark of Rautaruukki Corporation. More With Metals and Rautaruukki are registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Bridge set steel roof RSBSB
e.-code	TAKS
Length	2920 mm
Unit	pcs
Weight/unit	18,0 kg/pcs

Contain

1 x roof bridge
 4 x fixing
 4 x roof slope adapter
 12 x sealing 32 x 50 mm
 28 x screw M8 x 20 mm
 28 x nut M8
 8 x screw M7 x 50 mm
 2 x splice piece

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700


Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2008 Rautaruukki Corporation. All rights reserved.

Ruukki is a trademark of Rautaruukki Corporation. More With Metals and Rautaruukki are registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Snow barrier Classic RSSSA
e-code	CLVLEN
Length	3000 mm
Effective length	2940 mm
Unit	pcs
Weight/unit	13,3 kg/pcs

Contain	2 x oval pipes
	4 x lower fixing
	4 x counterpart
	4 x hex screw M8 x 20 mm
	16 x lock screw M8 x 40 mm
	20 x nut M8

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 23, 29, 32, 33 and 750

Galvanised

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2008 Rautaruukki Corporation. All rights reserved.

Ruukki is a trademark of Rautaruukki Corporation. More With Metals and Rautaruukki are registered trademarks of Rautaruukki Corporation.

● **Product**

Name SSnow barrier steel roof RSSSB
e-code TAPTVLEN
Length 3000 mm
Unit pcs
Weight/unit 10,4 kg/pcs

Contain 2 x oval pipe
4 x fixing
12 x sealing 32 x 50 mm
8 x coach screw M8 x 50 mm

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700


Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2008 Rautaruukki Corporation. All rights reserved.

Ruukki is a trademark of Rautaruukki Corporation. More With Metals and Rautaruukki are registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Ladder RSL2400
e-code	TAPT24
Length	2400 mm
Unit	pcs
Weight/unit	6,0 kg/pcs

● **Material**

Teräs

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Additional information**

Ladder + foot set side =	wall ladder to the side
Ladder + foot set end =	wall ladder to the end
Ladder + foot set steel roof =	roof ladder steel roof
Ladder + foot set Classic =	roof ladder Classic
Ladder + foot set safety =	safety ladder

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700


Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2008 Rautaruukki Corporation. All rights reserved.

Ruukki is a trademark of Rautaruukki Corporation. More With Metals and Rautaruukki are registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Ladder RSL3000
e-code	TAPT30
Length	3000 mm
Unit	pcs
Weight/unit	8,0 kg/pcs

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Additional information**

Ladder + foot set side =	wall ladder to the side
Ladder + foot set end =	wall ladder to the end
Ladder + foot set steel roof =	roof ladder steel roof
Ladder + foot set Classic =	roof ladder Classic
Ladder + foot set safety =	safety ladder

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700


Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2008 Rautaruukki Corporation. All rights reserved.

Ruukki is a trademark of Rautaruukki Corporation. More With Metals and Rautaruukki are registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Ladder RSL3600
e-code	TAPT36
Length	3600 mm
Unit	pcs
Weight/unit	10,0 kg/pcs

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Additional information**

Ladder + foot set side =	wall ladder to the side
Ladder + foot set end =	wall ladder to the end
Ladder + foot set steel roof =	roof ladder steel roof
Ladder + foot set Classic =	roof ladder Classic
Ladder + foot set safety =	safety ladder

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700


Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2008 Rautaruukki Corporation. All rights reserved.

Ruukki is a trademark of Rautaruukki Corporation. More With Metals and Rautaruukki are registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Ladder RSL4200
e-code	TAPT42
Length	4200 mm
Unit	pcs
Weight/unit	17,0 kg/pcs

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Additional information**

Ladder + foot set side =	wall ladder to the side
Ladder + foot set end =	wall ladder to the end
Ladder + foot set steel roof =	roof ladder steel roof
Ladder + foot set Classic =	roof ladder Classic
Ladder + foot set safety =	safety ladder

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2008 Rautaruukki Corporation. All rights reserved.

Ruukki is a trademark of Rautaruukki Corporation. More With Metals and Rautaruukki are registered trademarks of Rautaruukki Corporation.

● **Product**

Name Ladder foot set Classic RSLFSA
e-code CLPTAS3
Unit pcs
Weight/unit 1,8 kg/pcs

Contain 8 x plastic foot
8 x plastic foot screw M5 x 60 mm
2 x Classic center fixing
2 x counterpart
4 x U-bolt
8 x lock screw M8 x 40 mm
2 x hex screw M8 x 20 mm
18 x nut M8

● **Material**

Steel / plastic

● **Coatings and colours**

Powder painted 11, 23, 29, 32, 33 and 750

● **Additional information**

Ladder + foot set = roof ladder Classic

Note. One foot set is for roof ladder up to 6 m.

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax 020 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2008 Rautaruukki Corporation. All rights reserved.

Ruukki is a trademark of Rautaruukki Corporation. More With Metals and Rautaruukki are registered trademarks of Rautaruukki Corporation.



● **Product**

Name Ladder foot set steel roof RSLFSB
e-code TAPTAS3
Unit pcs
Weight/unit 1,9 kg/pcs

Contain 6 x plastic foot
4 x heightening foot
6 x screw M5 x 60 mm
4 x screw M7 x 50 mm
4 x screw M8 x 20 mm + nut
2 x screw M8 x 40 mm + nut
4 x sealing

● **Material**

Steel / plastic

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Additional information**

Ladder + foot set steel roof = roof ladder steel roof

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2008 Rautaruukki Corporation. All rights reserved.

Ruukki is a trademark of Rautaruukki Corporation. More With Metals and Rautaruukki are registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Ladder foot set side RSLFSE
e-code	TAPTAS1
Unit	pcs
Weight/unit	13,2 kg/pcs

Contain	4 x foot (1.0 m)
	4 x foots fixing part
	2 x upper arch
	2 x L-fastener
	2 x sealing for L-fastener
	2 x U-fastener
	2 x eave support
	10 x screw M8 x 25 mm + nut
	8 x screw M8 x 40 mm + nut
	2 x screw M8 x 30 mm + nut
	12 x screw M7 x 50 mm

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Additional information**

Ladder + foot set side = wall ladder to the side

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700


Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2008 Rautaruukki Corporation. All rights reserved.

Ruukki is a trademark of Rautaruukki Corporation. More With Metals and Rautaruukki are registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Ladder foot set end RSLFSF
e-code	TAPTAS2
Unit	pcs
Weight/unit	15,6 kg/pcs
Contain	6 x foot (0.75 m) 6 x foots fixing parti 2 x upper arch 2 x L-fastener 2 x sealing for L-fastener 2 x U-fastener 2 x eave support 14 x screw M8 x 25 mm + nut 10 x screw M8 x 40 mm + nut 2 x screw M8 x 30 mm + nut 16 x screw M7 x 50 mm

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Additional information**

Ladder + foot set end = wall ladder to the end

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2008 Rautaruukki Corporation. All rights reserved.

Ruukki is a trademark of Rautaruukki Corporation. More With Metals and Rautaruukki are registered trademarks of Rautaruukki Corporation.



● **Product**

Name Ladder foot set safety RSLFSG
e-code TAPTAS4
Unit pcs
Weight/unit 3,1 kg/pcs

Contain 2 x upper arch
2 x foots fixing part
2 x foot
2 x screw M8 x 20 mm
4 x screw M8 x 40 mm
4 x screw M7 x 50 mm

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Additional information**

Ladder + foot set safety = safety ladder

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2008 Rautaruukki Corporation. All rights reserved.

Ruukki is a trademark of Rautaruukki Corporation. More With Metals and Rautaruukki are registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Evacuation pipe RSE
e-code	TAPTLEP
Length	1500 mm
Unit	pcs
Weight/unit	3,5 kg/pcs

● **Coatings and colours**

Powder painted	20
----------------	----

● **Material**

Steel

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2008 Rautaruukki Corporation. All rights reserved.

Ruukki is a trademark of Rautaruukki Corporation. More With Metals and Rautaruukki are registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Evacuation pipe foot set RSEFS
e-code	TAPTLEPJ
Foot length	175 mm
Unit	pcs
Weight/unit	0,5 kg/pcs

Contain	1 x evacuation pipe foot
	1 x hex screw M8 x 30 mm + nut
	2 x screw M7 x 50 mm

● **Material**

Steel

● **Coatings and colours**

Powder painted	20
----------------	----

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2008 Rautaruukki Corporation. All rights reserved.

Ruukki is a trademark of Rautaruukki Corporation. More With Metals and Rautaruukki are registered trademarks of Rautaruukki Corporation.